

Trail Database Summary

	A	E	F	G	H	I	J
1	Trail Name	Wheelchair Accessible	Reason Not Accessible	In guidebook/ rated	Desirable Factor =A, B, C, D, F	Work needed to make trail "accessible"	Cost Estimate
2	Amphitheater	EASY-Mod		No			
3	Anemone	NO	Grade				
4	Artist Point	NO	Grade				
5	Baseline	Maybe (parts)			B. While it would be great to have a trail in this popular area, There seems to be little in the way of destination and even access to this trail. Additionally, this trail acts as a "sidewalk trail" not affording much of a "hiking" experience. Still, Chautauqua is the defining area of our system. It will be worth looking at when we are considering a new plan for the meadow.	Some rerouting to help take some of the bumps out. This will depend on determination of where wheelchair access will end. Surfacing with crusherfines probably not advisable (weed issues).	
6	Bear Canyon	Maybe (Lower)			C. This fire road is mostly accessible as a "most difficult" now. The 2 points of access to this trail make it unlikely that a person in a wheelchair could hike it unassisted. After the the first section however, the road is do-able. The drainage structures and tread are not easy, but with enough time you can wheelchair hike up to the pond. While it is an fire road, it is one of the nicest, offering shade and great views.	There are 2 options to the start of the trail (Bear Mnt. drive and Wildwood rd). Both options present significant problems that would have to fixed with rerouting.	
7	Bear Peak	No	Grade				
8	Bear Peak West Ridge	No	Grade				

Trail Database Summary

	A	E	F	G	H	I	J
1	Trail Name	Wheelchair Accessible	Reason Not Accessible	In guidebook/ rated	Desirable Factor =A, B, C, D, F	Work needed to make trail "accessible"	Cost Estimate
9	Big Bluestem	Maybe (lower)			C. Entering from the SBCT West this trail follows a ranch road for 2 miles where is eventually becomes not accessible to wheelchairs do to grade. There are some opportunities for wilflife viewing. The area is prone to getting very muddy. The views are nice but do not change for the duration of the experience. No tree cove what so ever. anticlimatic finish. (SBCT west offers a slightly better experience in the same area)	Very little would need to be done to make this an accessible "most difficult" trail. Fixing the gates and rounding off a few of the drain dips in the road is all it would take.	
10	Bluebell Mesa Road	Maybe		No	C+ Now that the surface has been graded, it has come to our attention that some people are able to take this trail all the way to Blue Bell Shelter, despite its steep grades. We would like more input on this from the public	None	
11	Bluebell-Baird	No	Grade				
12	Bluestem Connector	No	Grade				
13	Boulder Creek Path	EASY		No			
14	Boulder Falls	No	Grade				
15	Boy Scout	No	Grade				
16	Buckingham Park	MOD-DIF	Grade				
17	Centennial	EASY		No			

Trail Database Summary

	A	E	F	G	H	I	J
1	Trail Name	Wheelchair Accessible	Reason Not Accessible	In guidebook/ rated	Desirable Factor =A, B, C, D, F	Work needed to make trail "accessible"	Cost Estimate
18	Chautauqua	No	Grade				
19	Cherryvale	EASY		No			
20	Coalton	Maybe			D. We have gotten some input from the public and there is little interest do to the lack of shade and asthetics as well as the ability to get to a desirable destination.		
21	Cobalt	Maybe			B. This trail appears to have little to offer in terms of aesthetics or providing a new trail in the area. Making this "accessible" may also comprmise the experience for other users. What makes this trail desirable at all is the fact that it would create a link from the Sage trailhead to Approx. 1 mile of the upper Eagle trail (on top of the mesa) which provides views and proximity to wildlife viewing. Getting to the top of the hill may provide a "Hey, I did it" effect.		
22	Community Ditch (see New Trails D	Maybe	See New Trails Doudy and Marshal Mesa-				
23	Cottontail / Minnetrista	Maybe			B-. This is a nice neighborhood trail but it runs between a housing development and farmland and follows a creek /ditch. The end near Lookout Rd is too steep to really consider accessible, However the rest of the trailis easy-moderate and most sections have ample shade.	Minor rerouting on 2 short sections. Better ped crossing on 71st. Fix bridges to remove 2" drops.	

Trail Database Summary

	A	E	F	G	H	I	J
1	Trail Name	Wheelchair Accessible	Reason Not Accessible	In guidebook/ rated	Desirable Factor =A, B, C, D, F	Work needed to make trail "accessible"	Cost Estimate
24	Cottonwood	EASY		Yes			
25	Cragmoor Connector	No	Grade				
26	Crown Rock	NO	Grade				
27	Cowdry Draw	Maybe			B. This trail connects the climbing turn of the Community ditch trail to 66th street. The trail basically follows the contours of Marshall Mesa for over 1 mile. This trail would have been very easy to make accessible when first built. The views are great but little different to what one can experience on the Community ditch trail. There is no shade. The trail deadends on the E. end at the road, so while it doesn't create a loop, a shuttle is an option. This trail would be much more attractive if / when the Marshall Lake trail were open.	Total Reroute, but straight forward.	
28	Dakota Ridge	No	Grade				
29	Degge	NO	Grade				
30	Der Zerkel	No	Grade				
31	Dinosaur Rock	No					
32	Doudy Draw	EASY		Yes			
33	Dry Creek	EASY		Yes			
34	E.M. Greenman	No	Grade				

Trail Database Summary

	A	E	F	G	H	I	J
1	Trail Name	Wheelchair Accessible	Reason Not Accessible	In guidebook/ rated	Desirable Factor =A, B, C, D, F	Work needed to make trail "accessible"	Cost Estimate
35	Eagle	EASY-DIFF		Yes			
36	Eagle Upper (on top of mesa)	Maybe	Tread, Barriers		B. This trail's main attraction is that it is almost completely accessible already. While it is not spectacular, and may not be a big draw, The grade is suitable. There would be little impact to other users by improving this trail. There are some expansive views and opportunities to see wildlife.	Minimal work to make "accessible" would be removing a couple barriers at gates and cattle crossing. The tread could be improved, even on one side of the trail for easier wheelchair usage.	
37	East Boulder - Gunbarrel	Maybe			C. While this trail is accessible it is not in the guidebook as it is a short section that just gradually gets steeper. There is no shade and not very interesting. A BCPOS trail has been added as a connector to this trail. The most desirable thing is that it won't take anywork to make this accessible. We will include it in our information.	None. Tread work, to match the county trail would be helpful,	
38	East Boulder - Teller Lake	EASY-MOD		Yes			
39	East Boulder- Teller Lk 5	Easy -DIFF		No			
40	East Boulder - White Rocks	MOST-DIF		Yes			
41	East Ridge	No	Grade				
42	Eldorado Canyon	NO	Grade				
43	Fern Canyon	NO	Grade				
44	Flagstaff	NO	Grade				

Trail Database Summary

	A	E	F	G	H	I	J
1	Trail Name	Wheelchair Accessible	Reason Not Accessible	In guidebook/ rated	Desirable Factor =A, B, C, D, F	Work needed to make trail "accessible"	Cost Estimate
45	Flatirons Climbing Access Routes	NO	Grade				
46	Flatirons Loop	NO	Grade				
47	Foothills	EASY-MOD		Yes			
48	Four Pines	NO	Grade				
49	Fowler East (OSMP)	Maybe	Grade, tread		A. This is a beautiful trail. The Section of the State property is one of the nicest accessible hiking trails anywhere. The continuation of this trail to the Conda mine road would be that much more of a great thing. As well as great views there's plenty of shade. The connection to the Conda Mine road gives us double the trail for our efforts. This trail also gets an "A" for the fact that it would be one of our only "mountain trails".		
50	Fowler west (ECSP)	EASY-MOD		Yes			
51	Green Bear	NO	Grade				
52	Green Mountain West Ridge	NO	Grade				
53	Green Mtn Lodge Road	NO					
54	Greenbelt - Flatirons Vista Connector	Easy -Mod		No			
55	Greenbelt Plateau	EAS-DIF		Yes			

Trail Database Summary

	A	E	F	G	H	I	J
1	Trail Name	Wheelchair Accessible	Reason Not Accessible	In guidebook/ rated	Desirable Factor =A, B, C, D, F	Work needed to make trail "accessible"	Cost Estimate
56	Greenway	?					
57	Gregory Canyon	NO	Grade				
58	Halfway House	EASY-MOD		Yes			
59	Hardscrabble Connector	Maybe			C+. This is the connection to Shannanhan Trails. This is a short, but necessary section of fire road that is "do-able" and gets you to the Shannanhan South fork.	Improve Gate entrance and ramp from road.	
60	Hidden Valley	Maybe			D. Probably not worth the effort. There are better options in the area. Perhaps the general community will see something we are missing.		
61	Hogback Ridge	No	Grade				
62	Homestead	No	Grade				
63	Kohler Mesa	No	Grade				
64	Left Hand	No	Grade, tread				
65	Lehigh Connectors - East & Outlot	No	Grade				
66	Long Canyon	No	Grade				
67	Mallory Cave	No	Grade				
68	Marshall Mesa	No	Grade				
69	McClintock	No	Grade				
70	Mesa	No	Grade				
71	Mesa (South) near trailhead	difficult		Yes			

Trail Database Summary

	A	E	F	G	H	I	J
1	Trail Name	Wheelchair Accessible	Reason Not Accessible	In guidebook/ rated	Desirable Factor =A, B, C, D, F	Work needed to make trail "accessible"	Cost Estimate
72	Mesa Reservoir	No	Grade				
73	Mount Sanitas	No	Grade				
74	N.C.A.R. (access to Mesa)	No	Grade				
75	NCAR (Orr Roberts)	Easy -Mod		Yes			
76	North Rim	Green Blue		No	D-. While this trail is accessible it is not in the guidebook. We will include it in our information, however it does not connect to anything, as it is not accessible at the North Rim end.		
77	Old Kiln	Maybe			D. Some sections are accessible at the areas near the Foothills Trail, It would be possible to reroute the trail to make it more accessible. This may: 1) make the trail less desirable for other users. 2) not provide a new kind of experience for the area. 3) Take a lot of effort to "fix". 4) Does not creat a connection.	New alignemt for much of the trail	
78	Old Mill	No	Grade				
79	Panorama	EASY-MOD		Yes			
80	Pinebrook Access	No	Grade				
81	Range View	No	Grade				
82	Ranger	No	Grade				
83	Rattlesnake Gulch	No	Grade				

Trail Database Summary

	A	E	F	G	H	I	J
1	Trail Name	Wheelchair Accessible	Reason Not Accessible	In guidebook/ rated	Desirable Factor =A, B, C, D, F	Work needed to make trail "accessible"	Cost Estimate
84	Red Rocks	No	Grade				
85	Royal Arch	No	Grade				
86	Saddle Rock	No	Grade				
87	Sage	EASY-DIF		Yes			
88	Sanitas Bouldering	No	Grade				
89	Sanitas Valley	MOST DIF		No			
90	Sawhill Ponds	MOD		Yes			
91	Sensory Trail	Easy -Mod		No			
92	Shadow Canyon	No	Grade				
93	Shanahan - North Forks	Maybe			A- . There are optins to get to the north ridge and move through this lovely mesa. Shade, views, wildlife and the feeling that you have gotten away from it all, make this very attractive. This woud provide one of the best (and only) ways to access the pine forset west of town. The draw back is that there is no trailhead in the area.	Major reroute.	
94	Shanahan - South Forks	Difficult		No			
95	Ski Jump	No	Grade				
96	Skunk Canyon	No	Grade				
97	Sombrero Marsh	EASY		No			
98	South Boulder Creek East	EASY-MOD		Yes			

Trail Database Summary

	A	E	F	G	H	I	J
1	Trail Name	Wheelchair Accessible	Reason Not Accessible	In guidebook/ rated	Desirable Factor =A, B, C, D, F	Work needed to make trail "accessible"	Cost Estimate
99	South Boulder Creek West	Maybe			B-. This section is in the same area as the Lower Big Bluestem (LBB) and about a half mile shorter. It is a little more interesting and offers a little shade. This trail "just sort of ends" due to grade and very bad tread. Nice view but does not change through out the hike.	Some work at stream crossing (not a bridge) and lots of tread work at the west end.	
100	South Boulder Peak	No	Grade				
101	Southern Quarry Trail	?					
102	Tenderfoot	No	Grade				
103	Touch Monkey	?					
104	Towhee	No	Grade				
105	Ute	Maybe			A+. This trail would provide several hundred yards of accessibility through beautiful pondo forest at about 7000'. Views of Boulder, Indian Peaks and the front range. Plenty of wildlife, shade and proximity to the Sensory Trail, Flagstaff Nature Center, Amphtheater, picnic shelters and parking.	The grade of this trail is almost "do-able", simple reroutes in sections needed.	
106	Wonderland Lake	EASY-MOD		Yes			
107	Woods Quarry	No	Grade				
108							

Trail Database Summary

	A	E	F	G	H	I	J
1	Trail Name	Wheelchair Accessible	Reason Not Accessible	In guidebook/ rated	Desirable Factor =A, B, C, D, F	Work needed to make trail "accessible"	Cost Estimate
109	New Trails (in TSA process)						
110	Lower Marshal Mesa (MM-TSA)	Maybe			A. this would provide an interesting trail in a high profile area. There are also some small stretches of slick rock! Excellent grade for most of the trail. Great views.		
111	Conda Mine Road to DWB road connector (Eldo TSA)	Maybe			B+. Please see Eldo TSA Alternatives Documentation		
112	New trailhead to Community Ditch connector (MM-TSA)	Maybe			A. This trail can theoretically go from the new MM trailhead to the Community Ditch trail at or below 8%. This is exciting as it will open up the entire Community Ditch trail, which is currently suitable for wheelchair use, but there is no way to get to it. Great views, Leverages existing trails.		
113	Stacked Loop from FIV (Eldo TSA)	Maybe			A. Please see Eldo TSA Alternatives Documentation		
114	Doudy Draw to Community Ditch (Eldo TSA)	Maybe			A. Please see Eldo TSA Alternatives Documentation		